



## CATALOG

SPILL RESPONSE  
CLEAN-UP  
CONTAINMENT



Sorbents  
Socks and Pillows  
Spill Kits  
Spill Stations  
Battery Wash  
Rolls and Pads  
Personal Protection Equipment  
Pails and Drums  
Spill Clean-up Accessories  
Spill Response Trailers

---

# WYK SORBENTS, LLC IS A WOMAN-OWNED BUSINESS

*WYK Sorbents, LLC has been a small woman-owned business since 2005. Made in America is a given at WYK Sorbents. **All of our sorbents are formulated, processed and packaged in the USA with American labor.***

*Established in 1967, Upright, Inc. introduced the **Original Upright Anti-Slip Safety Sorbent**. It was originally developed to keep the butcher "upright", as many injury accidents in the 1960s were caused by slipping on oily, greasy, slippery floors.*

*In October, 2005 Upright, Inc. was purchased by Carol Dunn whose extensive merchandising experience with Standard Brands, Dillards, Sand Point Floral and Revlon is propelling the expansion of WYK Sorbents, LLC. WYK Sorbents now offers over 200 sorbent products and even more with accessories and spill kits.*

*WYK Sorbent products offer you **great customer service, fast shipping and risk free buying!** We appreciate your trust in WYK Sorbents and promise to work hard to keep earning that trust.*

*—Carol Dunn, Owner, WYK Sorbents, LLC*

---

# TABLE OF CONTENTS

**SAFETY SORBENT®** ..... 4-5

## UNIVERSAL

SOCKS, PILLOWS & BOOMS ..... 6-7

**SUPER SORBENT®** ..... 8-9

MINI SPILL KITS ..... 10-11

SPILL KITS ..... 12-21

## SPECIALTY SPILL

STATIONS & KITS ..... 22-23

## PERSONAL

PROTECTION EQUIPMENT  
(PPE) ..... 24-25

**ACIDSAFE® SORBENT** ..... 26-27

## ACIDSAFE®

SOCKS AND PILLOWS ..... 28-29

## ACIDSAFE®

SPILL KITS & STATIONS ..... 30-31

## ACIDSAFE®

BATTERY WASH ..... 32-33

**WYK FRESH** ..... 34-35

**FLUIDLOC™ SORBENT** ..... 36-37

**FLUIDLOC™ SPILL KITS** ..... 38-39

## POLYPROPYLENE

ROLLS AND PADS ..... 40-43

SPILL KIT CONTAINERS ..... 44-45

## SPILL CLEAN-UP

ACCESSORIES ..... 46-48

## SPILL RESPONSE

TRAILERS ..... 49-50

CUSTOM KITS ..... 51





# WYK SAFETY SORBENT®

## TRACTION AGENT AND UNIVERSAL SORBENT



**WYK SAFETY SORBENT** soaks up liquids instantly, leaving a dry, safe anti-slip surface ready for immediate use.

- Instantly leaves surfaces clean and 100% dry
- Concentrated sorbent absorbs and solidifies liquids
- Provides traction on slippery surfaces
- Helps you meet the requirements of OSHA 1910.22, Parts 1, 2 & 3 on walking and working surfaces
- Converts everyday drips, leaks and small spills into a solid "NON HAZARDOUS WASTE"
- Certified free of respirable silica



### URNS ALL TYPES OF DISCARDED LIQUID WASTE INTO A NON HAZARDOUS SOLID WASTE

**WYK SAFETY SORBENT** is a blend of all natural ingredients that safely soak up virtually any liquids from any surface. **WYK SAFETY SORBENT** is 100% pure Amorphous Mineral without any fillers or additives.

**WYK SAFETY SORBENT** is an inert and inorganic mixture of chemically and physically bound silicates, aluminates with a small amount of ferric oxide, calcium oxide, magnesium oxide, potassium oxide and alkalis and contains no free elements. Its physical shape is flat and thin with generally one bubble juncture per shard allowing for higher capacity and faster capillary action.

### APPLICATIONS:

- Road Crews – traffic accident response
- Shipping and receiving facilities
- Manufacturing and machining operations
- Chemical manufacturing and blending
- Maintenance and repair services
- Refuse collection operators
- Aircraft refueling and repair operations
- Cold storage and refrigerated trucking
- Meat and poultry processing
- Food processors



### TRIED AND TESTED SINCE 1967 LIST:

**WYK SAFETY SORBENT** has an excellent history in absorbing many industrial fluids. Some of which are:

- Lubricating Oils
- Grease
- Hydraulic Oils
- Solvents
- Heating Oils
- Transmission Fluids
- Hazardous or reactive liquids
- Cutting oils
- Paint
- Gasoline
- Caustic liquids
- Cleaning solutions
- Gear Lubricants
- Ink
- Paint
- Diesel Fuels
- Kerosene / Jet Fuel
- Acids (except HF hydrofluoric acid)

# WYK SAFETY SORBENT®

NON BIODEGRADABLE SOLIDIFYING SORBENT MEETS EPA, RCRA , LANDFILL REQUIREMENTS

## PRODUCT OFFERING:


*Weights will vary dependent upon the density of natural minerals.*

| STOCK NO. | DESCRIPTION                           | SHIPPING WT. | ABSORBS UP TO |
|-----------|---------------------------------------|--------------|---------------|
| 500       | 2 qt. shaker carton, 12/case          | 27 lbs.      | 4 gal./case   |
| 510       | 25 lb. plastic weatherproof bag       | 26 lbs.      | 3 gal./bag    |
| 520       | 110 lbs. in a 20 gallon reusable drum | 125 lbs.     | 14 gal./drum  |
| 530       | 170 lbs. in a 30 gallon reusable drum | 184 lbs.     | 22 gal./drum  |
| 535       | 40 lbs. in a lined box                | 42 lbs.      | 5 gal./box    |
| 555       | 300 lbs. in a 55 gallon reusable drum | 315 lbs.     | 39 gal./drum  |
| 580       | 30 lbs. in a reusable pail            | 34 lbs.      | 4.5 gal./pail |
| 585T      | 25 lbs. in a 5 gallon "tear top" pail | 29 lbs.      | 3 gal./pail   |
| 590       | 2,000 lbs. in a super sack            | 2,010 lbs.   | 250 gal./sack |


*Not for use on hydrofluoric acid or HF compounds.*

## HOW TO USE AS A TRACTION AGENT:

1. Lightly shake **WYK SAFETY SORBENT** on the floors, ramps, stairs, and walkways to provide traction.  
DO NOT OVER APPLY.




2. As **WYK SAFETY SORBENT** becomes saturated, simply sweep up and re-apply as needed.



## HOW TO USE AS A UNIVERSAL SORBENT:

1. Apply **WYK SAFETY SORBENT** on and around spill.
2. Rub **WYK SAFETY SORBENT** in with a broom or shovel.
3. Immediately sweep up saturated sorbent and dispose of in appropriate manner.



If necessary, re-apply **WYK SAFETY SORBENT** and repeat procedure. For best results sorbent product should be immediately removed after use or at the end of a shift and re-applied as needed to provide safe dry floors.

**DO NOT LEAVE SORBENT ON FLOOR WHEN SATURATED.**

# WYK UNIVERSAL SORBENT SOCKS & PILLOWS

## RETAINS AND SOLIDIFIES LIQUIDS

### Universal Solidifying Sorbent Socks & Pillows: 600 series

Instant action can reach saturation in less than 30 seconds, solidification (does not release liquids) meeting solid hazardous waste rules.



#### PRODUCT OFFERING:

| STOCK NO. | DESCRIPTION   | SHIPPING WT. | ABSORBS UP TO |
|-----------|---|--------------|---------------|
| 600       | 4 in. x 4 ft. socks, 15/case                              | 11 lbs.      | 10 gal./case  |
| 608       | 4 in. x 8 ft. socks, 6/case                               | 11 lbs.      | 13 gal./case  |
| 610       | 4 in. x 10 ft. socks, 6/case                              | 11 lbs.      | 10 gal./case  |
| 612       | 4 in. x 12 ft. socks, 10/case                             | 13 lbs.      | 19 gal./case  |
| 630       | 4 in. x 14 in. x 1.5 in. lab pillows, 18/case             | 5 lbs.       | 4 gal./case   |
| 640       | 10 in. x 18 in. x 2 in. large pillows, 20/case            | 21 lbs.      | 20 gal./case  |
| 641       | 10 in. x 10 in. x 2 in. medium pillows, 15/case           | 10 lbs.      | 10 gal./case  |
| 670       | Particulate/solidifier, 4 cu. ft. bag, 1/case             | 12 lbs.      | 18 gal./bag   |
| 460       | 10 in. x 10 in. drip pans with pillows, 3 pans/12 pillows | 12 lbs.      | 7 gal./case   |

### Universal Solidifying Containment Barrier Socks

Heavy socks weigh 1.25 pound per foot and is extremely effective in containment of liquids. Socks stay in place and preventing liquids from running under the sock.

#### PRODUCT OFFERING:

| STOCK NO. | DESCRIPTION                 | SHIPPING WT. | ABSORBS UP TO |
|-----------|-----------------------------|--------------|---------------|
| 2545      | 4 in. x 4 ft. sock, 6/case  | 26 lbs.      | 8 gal./case   |
| 2546      | 4 in. x 10 ft. sock, 3/case | 33 lbs.      | 10 gal./case  |

*Not for use on hydrofluoric acid or HF compounds.*

# WYK UINVERSAL POLYPROPYLENE SORBENT SOCKS, PILLOWS & BOOMS

## WRING-ABLE AND REUSABLE

*High capacity wring-able socks, pillows and booms can be used to recover liquids for reuse!*

### Polypropylene Socks, Pillows & Booms: 200 & 400 Series



| STOCK NO. | DESCRIPTION                              | SHIPPING WT. | ABSORBS UP TO |
|-----------|--|--------------|---------------|
| 222       | 3 in. x 4 ft. socks, 30/case             | 30 lbs.      | 25 gal./case  |
| 224       | 3 in. x 12 ft. socks, 10/case            | 30 lbs.      | 25 gal./case  |
| 443       | 10 in. x 10 in. x 2 in. pillows, 40/case | 15 lbs.      | 30 gal./case  |
| 445       | 8 in. x 10 ft. booms, 4/bale             | 32 lbs.      | 36 gal./bale  |
| 450       | 5 in. x 10 ft. booms, 4/bale             | 23 lbs.      | 24 gal./bale  |

### Oil Selective Polypropylene Socks, Pillows & Booms: 700 series

Floats on water while selectively absorbing petroleum-based liquids.



### PRODUCT OFFERING:

| STOCK NO. | DESCRIPTION                              | SHIPPING WT. | ABSORBS UP TO |
|-----------|--|--------------|---------------|
| 780       | 3 in. x 4 ft. socks, 12/case             | 13 lbs.      | 10 gal./case  |
| 782       | 3 in. x 4 ft. socks, 30/case             | 30 lbs.      | 25 gal./case  |
| 787       | 3 in. x 12 ft. socks, 10/case            | 30 lbs.      | 25 gal./case  |
| 743       | 10 in. x 10 in. x 2 in. pillows, 40/case | 15 lbs       | 30 gal./case  |
| 750       | 5 in. x 10 ft. booms, 4/bale             | 22 lbs.      | 30 gal./bale  |
| 745       | 8 in. x 10 ft. booms, 4/bale             | 32 lbs.      | 38 gal./bale  |
| 7808      | 8 in. x 18 in. x 2 in. pillows, 20/case  | 12 lbs.      | 23 gal./case  |
| 7818      | 18 in. x 18 in. x 2 in. pillows, 10/case | 12 lbs.      | 23 gal./case  |



# WYK SUPER SORBENT®

## LIQUID & OIL SORBENT AND TRACTION AGENT



**WYK SUPER SORBENT** instantly soaks up liquids, which reduces clean up time and limits liability exposure.

- Minimizes slip/fall injuries
- Eliminates fire hazards
- Absorbs and solidifies liquids
- Non biodegradable and inert
- Certified free of respirable silica



### LIGHTER WEIGHT - MORE ABSORBENT

**WYK SUPER SORBENT** and **WYK SAFETY SORBENT** are the same unique blend of inert minerals. The difference is in the way these minerals are processed making **WYK SUPER SORBENT** lighter weight and more absorbent.

Ergonomically engineered to save!

Buy, handle, store, dispose of less sorbent to do the complete job

### URNS ALL TYPES OF DISCARDED LIQUID WASTE INTO A NON HAZARDOUS SOLID WASTE

Helps you meet the requirements of OSHA 1910.22, Parts 1,2 & 3 on walking and working surfaces rule.

#### 1910.22 General Requirements.

- Surface Conditions - Employer must ensure:
  1. All places of employment, passageways, storerooms, service rooms, and walking working surfaces are kept in a clean, orderly and sanitary condition
  2. The floor of each workroom is maintained in a clean and to extent feasible, in a dry condition
  3. Walking-working surfaces are maintained free of hazards such as sharp or protruding objects loose boards, corrosion, leaks, spills, snow and ice.





# WYK SUPER SORBENT®

## LIQUID & OIL SORBENT AND TRACTION AGENT

### PRODUCT OFFERING:


*Weights will vary dependent upon the density of natural minerals.*

| STOCK NO. | DESCRIPTION                           | SHIPPING WT. | ABSORBS UP TO |
|-----------|---------------------------------------|--------------|---------------|
| 2012      | 2 qt. shaker carton, 12/case          | 24 lbs.      | 7 gal./case   |
| 2015      | 16 lb. box with liner                 | 17 lbs.      | 6 gal./box    |
| 2018      | 16 lb. plastic weatherproof bag       | 17 lbs.      | 6 gal./bag    |
| 2025      | 28 lb. in a UPS-able box              | 30 Lbs.      | 10 gal./box   |
| 2028T     | 18 lbs. in 5 gallon reusable pail     | 22 lbs.      | 6 gal./pail   |
| 2020      | 70 lbs. in a 20 gallon reusable drum  | 84 lbs.      | 24 gal./drum  |
| 2030      | 105 lbs. in a 30 gallon reusable drum | 119 lbs.     | 35 gal./drum  |
| 2055      | 190 lbs. in a 55 gallon reusable drum | 205 lbs.     | 64 gal./drum  |
| 2090      | 1,500 lbs. in a super sack bulk bag   | 1,510 lbs.   | 495 gal./sack |


*Not for use on hydrofluoric acid or HF compounds.*

### HOW TO USE AS A TRACTION AGENT:

1. Lightly shake **WYK SUPER SORBENT** on the floors, ramps, stairs, and walkways to provide traction.  
DO NOT OVER APPLY.





2. As **WYK SUPER SORBENT** becomes saturated, simply sweep up and re-apply as needed.



### HOW TO USE AS A UNIVERSAL SORBENT:

1. Apply **WYK SUPER SORBENT** on and around spill.
2. Rub **WYK SUPER SORBENT** in with a broom or shovel.
3. Immediately sweep up saturated sorbent and dispose of in appropriate manner.



If necessary, re-apply **WYK SUPER SORBENT** and repeat procedure. For best results sorbent product should be immediately removed after use or at the end of a shift and re-applied as needed to provide safe dry floors.

**DO NOT LEAVE SORBENT ON FLOOR WHEN SATURATED.**

# WYK MINI SPILL KITS

*These small “mini” Spill Cleanup Kits really pack a punch! They allow you to place one in many different places where small drips and spills could occur.*

This makes it incredibly easy to keep the floor clean, dry and safe for both employees and visitors.

These shaker cartons are very efficient, limiting the amount of sorbent used producing less waste. Unlike the clay product, **WYK Super Sorbent** works instantly, requiring little time for the cleanup. Because it is so easy to do, people love to use it! They now take pride in having a clean, safe and dry work floor area!

This same scenario holds true whether it's an auto service garage, machine shop, printing presses or assembly lines. Each area can be efficiently and safely maintained with the **Mini Spill Kit Plan!**



1503

# WYK MINI SPILL KITS



AN1503

## KIT OFFERING:

| STOCK NO.  | Sorbent                       | Personal Protective Equipment  | Accessories                               | Disposable bags |
|--|-------------------------------|--|---|-----------------|
| <b>WYK Super Sorbent Mini Kit</b><br>1503                        | 1 carton Super Sorbent (2002) | 1 Chemical Splash Goggles (936)<br>1 Nitrile Gloves (931)<br>1 Disposable Apron (925B)                                   | 1 Mini Broom & Dustpan (979)              | 1 (910)         |
| Packed 6 kits per case • Shipping weight: 16 lbs.                |                               |  | Absorbs up to 0.22 gal./kit • 2 gal./case |                 |
| <b>AcidSafe Indicating &amp; Neutralizing Mini kit</b><br>AS1503 | 1 carton AcidSafe (AN3002)    | 1 Chemical Splash Goggles (936)<br>1 Disposable Face Shield (919)<br>1 Nitrile Gloves (931)<br>1 Disposable Apron (925B) | 1 Mini Broom & Dustpan (979)              | 1 (910)         |
| Packed 4 kits per case • Shipping weight: 10 lbs.                |                               |  | Absorbs up to 0.22 gal./kit • 1 gal./case |                 |



# WYK SPILL KITS

## VEHICLE SPILL KITS

- *Small sizes make kits simple to transport and easily accessible when needed.*
- *Ideal for service vehicles, delivery trucks, and mobile use.*

*Water resistant drawstring nylon bag allows for fast response time and the bright yellow duffels make these kits easily identifiable.*



**901:**  
yellow  
nylon bag

### KIT OFFERING:

| STOCK NO.                       | Super Sorbent           | Socks                      | Pads                           | Disposable bags |
|---------------------------------|-------------------------|----------------------------|--------------------------------|-----------------|
| 1201<br>General<br>Purpose      | 2 cartons (2002)        | 2<br>(222 – 3 in. x 4 ft.) | 5<br>(4406 – 18 in. x 15 in.)  | 2 (910)         |
|                                 | Shipping weight: 9 lbs. |                            | Absorbs up to: 4 gal./kit      |                 |
| 1501<br>Universal<br>(pictured) | 2 cartons (2002)        | 2<br>(600 – 4 in. x 4 ft.) | 10<br>(4404 – 19 in. x 15 in.) | 2 (910)         |
|                                 | Shipping weight: 8 lbs. |                            | Absorbs up to: 6 gal./kit      |                 |
| 1701<br>Oil Selective           | 1 carton (2002)         | 2<br>(782 – 3 in. x 4 ft.) | 10<br>(7704 – 19 in. x 15 in.) | 2 (910)         |
|                                 | Shipping weight: 8 lbs. |                            | Absorbs up to: 6 gal./kit      |                 |

*Not for use on hydrofluoric acid or HF compounds.*

# WYK SPILL KITS

## VEHICLE SPILL KITS

***Everything you need for emergency on the road.  
Economically designed for use on service, refuse,  
delivery trucks and vehicles.***

*Clear vinyl zipper bag protect  
sorbents and allows for visual  
inventory of available sorbents so  
they are ready when needed*



### KIT OFFERING:

| STOCK NO.                       | Super Sorbent           | Socks                      | Pads                           | Disposable bags |
|---------------------------------|-------------------------|----------------------------|--------------------------------|-----------------|
| 1202<br>General<br>Purpose      | 2 cartons (2002)        | 3<br>(222 – 3 in. x 4 ft.) | 10<br>(4406 – 18 in. x 15 in.) | 2 (910)         |
|                                 | Shipping weight: 8 lbs. |                            | Absorbs up to: 6 gal./kit      |                 |
| 1502<br>Universal<br>(pictured) | 2 cartons (2002)        | 3<br>(600 – 4 in. x 4 ft.) | 10<br>(4404 – 19 in. x 15 in.) | 2 (910)         |
|                                 | Shipping weight: 8 lbs. |                            | Absorbs up to: 7 gal./kit      |                 |
| 1702<br>Oil Selective           | 1 carton (2002)         | 3<br>(782 – 3 in. x 4 ft.) | 10<br>(7704 – 19 in. x 15 in.) | 2 (910)         |
|                                 | Shipping weight: 8 lbs. |                            | Absorbs up to: 7 gal./kit      |                 |

**Not for use on hydrofluoric acid or HF compounds.**

**General purpose use on non aggressive liquids like hydraulic fluid, brake fluid, motor oils and anti-freeze.**

# WYK SPILL KITS

## 6.5 GALLON SCREW TOP PAIL KIT

*Perfect for the storage, transportation, clean-up and containment of smaller spill clean-up needs.*

- Locking heavy-duty 6.5 gallon pail protects sorbents so they are ready for immediate use in an emergency
- Screw top lid allow for quick access to sorbents and is completely resealable meeting DOT & UN requirements.

Reverse side of pail doubles as a warning cone



**903:**  
6.5 gallon white pail



### KIT OFFERING:

| STOCK NO.                       | Super Sorbent            | Socks                      | Pads                          | Disposable bags |
|---------------------------------|--------------------------|----------------------------|-------------------------------|-----------------|
| 1205<br>General Purpose         | 1 carton (2002)          | 4<br>(222 – 3 in. x 4 ft.) | 7<br>(4406 – 18 in. x 15 in.) | 2 (910)         |
|                                 | Shipping weight: 15 lbs. |                            | Absorbs up to: 6 gal./kit     |                 |
| 1505<br>Universal<br>(pictured) | 2 cartons (2002)         | 4<br>(600 – 4 in. x 4 ft.) | 7<br>(4404 – 19 in. x 15 in.) | 2 (910)         |
|                                 | Shipping weight: 14 lbs. |                            | Absorbs up to: 6 gal./kit     |                 |
| 1705<br>Oil Selective           | 1 carton (2002)          | 4<br>(782 – 3 in. x 4 ft.) | 7<br>(7704 – 19 in. x 15 in.) | 2 (910)         |
|                                 | Shipping weight: 9 lbs.  |                            | Absorbs up to: 6 gal./kit     |                 |

Not for use on hydrofluoric acid or HF compounds.



# WYK SPILL KITS

## 14 GALLON CONTAINER KIT

*Perfect size for most spills around shipping and receiving dock areas. Small footprint and highly visible yellow drum full of fast acting WYK sorbents!*

- Lightweight drums are lockable and incinerate completely
- Easy access to sorbents provided by the full open top lid with quick opening plastic ring



**922:**  
14 gallon  
yellow  
drum

### KIT OFFERING:

| STOCK NO.                    | Super Sorbent            | Socks                      | Pillows                      | Pads                           | Disposable bags |
|------------------------------|--------------------------|----------------------------|------------------------------|--------------------------------|-----------------|
| 1214<br>General Purpose      | 1 carton (2002)          | 6<br>(222 – 3 in. x 4 ft.) | 4<br>(443 – 10 in. x 10 in.) | 10<br>(4406 – 18 in. x 15 in.) | 2 (910)         |
|                              | Shipping weight: 22 lbs. |                            |                              | Absorbs up to: 11 gal./kit     |                 |
| 1514<br>Universal (pictured) | 2 cartons (2002)         | 6<br>(600 – 4 in. x 4 ft.) | 4<br>(641 – 10 in. x 10 in.) | 10<br>(4404 – 19 in. x 15 in.) | 2 (910)         |
|                              | Shipping weight: 22 lbs. |                            |                              | Absorbs up to: 11 gal./kit     |                 |
| 1714<br>Oil Selective        | 1 carton (2002)          | 3<br>(782 – 3 in. x 4 ft.) | 4<br>(743 – 10 in. x 10 in.) | 10<br>(7704 – 19 in. x 15 in.) | 2 (910)         |
|                              | Shipping weight: 24 lbs. |                            |                              | Absorbs up to: 10 gal./kit     |                 |

Not for use on hydrofluoric acid or HF compounds.

**BEST  
SELLER!**



# WYK SPILL KITS

## 20 GALLON CONTAINER KIT

*Perfect for the storage, transportation, clean-up and spill containment of larger needs.*

- Bright yellow, highly durable open top drum keeps sorbents dry and ready for immediate use
- Our most popular size kit contains everything needed to clean up most average size spills



**904:**  
20 gallon  
yellow drum

### KIT OFFERING:

| STOCK NO.                       | Super Sorbent            | Socks                      | Pillows                      | Pads                          | Disposable bags |
|---------------------------------|--------------------------|----------------------------|------------------------------|-------------------------------|-----------------|
| 1220<br>General Purpose         | 1 carton (2002)          | 6<br>(222 – 3 in. x 4 ft.) | 7<br>(443 – 10 in. x 10 in.) | 5<br>(4406 – 18 in. x 15 in.) | 3 (910)         |
|                                 | Shipping weight: 22 lbs. |                            |                              | Absorbs up to: 12 gal./kit    |                 |
| 1520<br>Universal<br>(pictured) | 2 cartons (2002)         | 6<br>(600 – 4 in. x 4 ft.) | 7<br>(641 – 10 in. x 10 in.) | 5<br>(4404 – 19 in. x 15 in.) | 3 (910)         |
|                                 | Shipping weight: 22 lbs. |                            |                              | Absorbs up to: 12 gal./kit    |                 |
| 1720<br>Oil Selective           | 1 carton (2002)          | 6<br>(782 – 3 in. x 4 ft.) | 7<br>(743 – 10 in. x 10 in.) | 5<br>(7704 – 19 in. x 15 in.) | 3 (910)         |
|                                 | Shipping weight: 24 lbs. |                            |                              | Absorbs up to: 13 gal./kit    |                 |

Not for use on hydrofluoric acid or HF compounds.

# WYK SPILL KITS

## 30 GALLON CONTAINER KIT

*Unique UN/DOT 30 Gallon drum offer more clean-up power and speed to keep your facilities running smoothly!*

- For larger industrial spills and containment of all types of liquids



### KIT OFFERING:

| STOCK NO.                    | Super Sorbent | Socks                    | Pillows                   | Pads                        | Disposable bags |
|------------------------------|---------------|--------------------------|---------------------------|-----------------------------|-----------------|
| 1231<br>General Purpose      | 1 bag (2018)  | 10 (222 – 3 in. x 4 ft.) | 4 (443 – 10 in. x 10 in.) | 30 (4406 – 18 in. x 15 in.) | 4 (910)         |
| Shipping weight: 22 lbs.     |               |                          |                           | Absorbs up to: 24 gal./kit  |                 |
| 1531<br>Universal (pictured) | 1 bag (2018)  | 10 (600 – 4 in. x 4 ft.) | 4 (641 – 10 in. x 10 in.) | 30 (4404 – 19 in. x 15 in.) | 4 (910)         |
| Shipping weight: 22 lbs.     |               |                          |                           | Absorbs up to: 25 gal./kit  |                 |
| 1731<br>Oil Selective        | 1 bag (2018)  | 10 (782 – 3 in. x 4 ft.) | 4 (743 – 10 in. x 10 in.) | 30 (7704 – 19 in. x 15 in.) | 4 (910)         |
| Shipping weight: 24 lbs.     |               |                          |                           | Absorbs up to: 26 gal./kit  |                 |

Not for use on hydrofluoric acid or HF compounds.



# WYK SPILL KITS

## 55 GALLON CONTAINER KIT

*Heavy duty drum kit exceeds most industrial application requirements.*

- Bright yellow, highly durable open top drum keeps sorbents dry and ready for immediate use
- Our most popular size kit contains everything needed to clean up most average size spills



**971:**  
55 gallon  
yellow drum

### KIT OFFERING:

| STOCK NO.                       | Super Sorbent            | Socks                       | Pillows                      | Pads                            | Disposable bags |
|---------------------------------|--------------------------|-----------------------------|------------------------------|---------------------------------|-----------------|
| 1255<br>General Purpose         | 1 bag (2018)             | 18<br>(222 – 3 in. x 4 ft.) | 6<br>(443 – 10 in. x 10 in.) | 100<br>(4406 – 18 in. x 15 in.) | 2 (915)         |
|                                 | Shipping weight: 70 lbs. |                             |                              | Absorbs up to: 47 gal./kit      |                 |
| 1555<br>Universal<br>(pictured) | 1 bag (2018)             | 18<br>(600 – 4 in. x 4 ft.) | 6<br>(641 – 10 in. x 10 in.) | 100<br>(4404 – 19 in. x 15 in.) | 2 (915)         |
|                                 | Shipping weight: 70 lbs. |                             |                              | Absorbs up to: 53 gal./kit      |                 |
| 1755<br>Oil<br>Selective        | 2 cartons<br>(2002)      | 18<br>(782 – 3 in. x 4 ft.) | 6<br>(743 – 10 in. x 10 in.) | 100<br>(7704 – 19 in. x 15 in.) | 2 (915)         |
|                                 | Shipping weight: 65 lbs. |                             |                              | Absorbs up to: 52 gal./kit      |                 |

*Not for use on hydrofluoric acid or HF compounds.*

# WYK SPILL KITS

## 65 GALLON CONTAINER KIT

*Perfect for the storage, transportation, clean up and containment of larger spills*

- For larger industrial spills and containment of all types of liquids



**900:**  
65 gallon  
yellow  
drum

### KIT OFFERING:

| STOCK NO.                       | Super Sorbent             | Socks  | Pillows                       | Pads                            | Disposable bags |
|---------------------------------|---------------------------|--|-------------------------------|---------------------------------|-----------------|
| 1265<br>General Purpose         | 1 bag (2018)              | 20<br>(222 – 3 in. x 4 ft.)                                | 10<br>(443 – 10 in. x 10 in.) | 100<br>(4406 – 18 in. x 15 in.) | 3 (915)         |
|                                 | Shipping weight: 105 lbs. |  |                               | Absorbs up to: 52 gal./kit      |                 |
| 1565<br>Universal<br>(pictured) | 1 bag (2018)              | 20<br>(600 – 4 in. x 4 ft.)                                | 10<br>(641 – 10 in. x 10 in.) | 100<br>(4404 – 19 in. x 15 in.) | 3 (915)         |
|                                 | Shipping weight: 100 lbs. |  |                               | Absorbs up to: 57 gal./kit      |                 |
| 1765<br>Oil<br>Selective        | 2 cartons<br>(2002)       | 10<br>(782 – 3 in. x 4 ft.)<br>5<br>(787 – 3 in. x 12 ft.) | 10<br>(743 – 10 in. x 10 in.) | 100<br>(7704 – 19 in. x 15 in.) | 3 (915)         |
|                                 | Shipping weight: 105 lbs. |  |                               | Absorbs up to: 61 gal./kit      |                 |

Not for use on hydrofluoric acid or HF compounds.

**NARROW  
FOOTPRINT!**

Fits through most doorways for fast response!



# WYK SPILL KITS

## 50 GALLON SPILL CART

*Heavy tilt wheel cart exceeds most industrial application requirements.*

- Bright yellow, highly durable open top drum keeps sorbents dry and ready for immediate use



**949:**  
50 gallon  
title wheel  
cart

### KIT OFFERING:

| STOCK NO.                    | Super Sorbent    | Socks  | Pillows                   | Pads                        | Accessories  | Disposable bags |
|------------------------------|------------------|--|---------------------------|-----------------------------|--|-----------------|
| 1293<br>General Purpose      | 4 cartons (2002) | 10 (222 –3 in. x 4 ft.)<br>2 (224 –3 in. x 12 ft.) | 6 (443 – 10 in. x 10 in.) | 50 (4406 – 18 in. x 15 in.) | 10 in. deck brush (935) with telescopic handle (917) | 3 (915)         |
| Shipping weight: 70 lbs.     |                  |  |                           | Absorbs up to: 32 gal./kit  |  |                 |
| 1593<br>Universal (pictured) | 4 cartons (2002) | 10 (600 –4 in. x 4 ft.)<br>2 (612 –4 in. x 12 ft.) | 6 (641–10 in. x 10 in.)   | 50 (4404 – 19 in. x 15 in.) | 10 in. deck brush (935) with telescopic handle (917) | 3 (915)         |
| Shipping weight: 70 lbs.     |                  |  |                           | Absorbs up to: 33 gal./kit  |  |                 |
| 1793<br>Oil Selective        | 4 cartons (2002) | 10 (782 –3 in. x 4 ft.)<br>2 (787 –3 in. x 12 ft.) | 6 (743 –10 in. x 10 in.)  | 50 (7704 – 19 in. x 15 in.) | 10 in. deck brush (935) with telescopic handle (917) | 3 (915)         |
| Shipping weight: 70 lbs.     |                  |  |                           | Absorbs up to: 36 gal./kit  |  |                 |

Not for use on hydrofluoric acid or HF compounds.



# WYK SPILL KITS

## 95 GALLON CONTAINER KIT

*Larger kit provides everything you need for containment and clean up of over 80 gallons of liquids!*

- Safely store kit outside keeping the contents dry and ready for immediate use
- Overpack Drum may be used to house a leaking 55 gallon drum



**906:**  
95 gallon  
yellow  
drum


### KIT OFFERING:

| STOCK NO.                       | Super Sorbent             | Socks/booms  | Pillows                       | Pads                            | Disposable bags |
|---------------------------------|---------------------------|--|-------------------------------|---------------------------------|-----------------|
| 1295<br>General Purpose         | 1 bag<br>(2018)           | 25 socks<br>(222 – 3 in. x 4 ft.)<br>6 socks<br>(224 – 3 in. x 12 ft.) | 10<br>(443 – 10 in. x 10 in.) | 100<br>(4406 – 18 in. x 15 in.) | 10 (915)        |
|                                 | Shipping weight: 120 lbs. |  |                               | Absorbs up to: 71 gal./kit      |                 |
| 1595<br>Universal<br>(pictured) | 1 bag<br>(2018)           | 25 socks<br>(600 – 4 in. x 4 ft.)<br>6 socks<br>(612 – 4 in. x 12 ft.) | 10<br>(641 – 10 in. x 10 in.) | 100<br>(4404 – 19 in. x 15 in.) | 10 (915)        |
|                                 | Shipping weight: 115 lbs. |  |                               | Absorbs up to: 72 gal./kit      |                 |
| 1795<br>Oil<br>Selective        | 2 cartons<br>(2002)       | 25 socks<br>(782 – 3 in. x 4 ft.)<br>4 booms<br>(750 – 5 in. x 10 ft.) | 10<br>(743 – 10 in. x 10 in.) | 100<br>(7704 – 19 in. x 15 in.) | 10 (915)        |
|                                 | Shipping weight: 115 lbs. |  |                               | Absorbs up to: 71 gal./kit      |                 |

Not for use on hydrofluoric acid or HF compounds.

# WYK SPECIALTY SPILL STATIONS

Wire wall mount rack with laminated spill station sign



**Powder coated wire rack, mounts on the wall**

Perfect for convenience stores, retail stores, schools, day care centers, nursing homes, other high traffic area

## STATION OFFERING:

| STOCK NO.  | Sorbent                        | Accessories  | Disposable bags                      |
|--|--------------------------------|--|--------------------------------------|
| 6250   | 4 cartons Safety Sorbent (500) | 1 counter broom and dust pan set (924)                               | 12 bags (910T) with instruction card |
| 6200   | 4 cartons Super Sorbent (2002) |  |                                      |
| Shipping weight: 15 lbs. (6250) • 12 lbs. (6200) |                                | Absorbs up to: 1.5 gal./station (6250) • 2.4 gal./station (6200)     |                                      |
|  |                                |  |                                      |
| 6251   | 4 cartons Safety Sorbent (500) | 1 dust pan (9301)<br>1 brush head (935)<br>1 telescopic handle (917) | 12 bags (910T) with instruction card |
| 6201   | 4 cartons Super Sorbent (2002) |  |                                      |
| Shipping weight: 16 lbs. (6251) • 13 lbs. (6201) |                                | Absorbs up to: 1.5 gal./station (6251) • 2.4 gal./station (6201)     |                                      |

Not for use on hydrofluoric acid or HF compounds.

# WYK SPECIALTY SPILL KITS

## Mercury Cleanup Kit

*Provides all the tools necessary to safely and quickly clean up and decontaminate a mercury spill*

- Light duty kit for smaller spills, but with all the right ingredients to handle 1 or 2 small spills
- Ideal for in-home clean up and as a stand-by kit for occasional spills in medical, dental and scientific facilities



| STOCK NO.               | Clean-up powder and wipes                              | Personal Protection Equipment | Accessories                  |
|-------------------------|--|-------------------------------|------------------------------|
| 1500MERC                | 1 mercury-absorbent powder<br>1 mercury clean-up wipes | 1 goggles<br>1 latex gloves   | 1 mini broom & dustpan (979) |
| Shipping weight: 3 lbs. |  | Absorbs up to: 2 gal./kit     |                              |

*Not for use on hydrofluoric acid or HF compounds.*

## Laboratory Wall-Mounted Spill Cabinet

*Designed for harsh environments, baked-on metal cabinet will last for years.*



| STOCK NO.                | Sorbent                        | Pillows/Pads   | Personal Protection Equipment | Accessories                         | Disposable bags |
|--------------------------|--------------------------------|--|-------------------------------|-------------------------------------|-----------------|
| 1506                     | 2 cartons Super Sorbent (2002) | 6 pillows (443 – 10 in. x 10 in.)<br>5 pads (4406 – 18 in. x 15 in.) | 1 Standard PPE Kit (943)      | 1 mini broom and dust pan set (979) | 2 (910)         |
| Shipping weight: 15 lbs. |                                |  |                               | Absorbs up to: 1.5 gal./kit         |                 |

*Not for use on hydrofluoric acid or HF compounds.*

# WYK PERSONAL PROTECTION EQUIPMENT (PPE)

*WYK's PPE individual items and kits have you covered from head to toe.*

## PPE OFFERING:



936

Chemical splash goggles



937

Safety glasses with side shield



938

12 in. yellow latex overboots



945

Chemical coveralls with hood and boots



919

Disposable face shield



931

Chemical gloves, Nitrile, 11 ml.



932NT

Gloves, Nitrile, 5 ml. 50 Pair Box



925B

Chemical/acid apron, 45 in. x 35 in.



# WYK PERSONAL PROTECTION EQUIPMENT (PPE)

## PPE KIT OFFERING:



| STOCK NO.               | CONTENTS   |
|-------------------------|--|
| 940<br>Basic PPE Kit    | 1 Chemical splash goggles (936)<br>1 Nitrile gloves (931)<br>1 Disposable apron (911)<br>1 Clear booties (918-10)  |
| 943<br>Standard PPE Kit | 1 Chemical splash goggles (936)<br>1 Nitrile gloves (931)<br>1 Disposable face shield (919)<br>1 Disposable apron (911)<br>1 Latex overboots (937)                               |
| 944<br>Deluxe PPE Kit   | 1 Chemical splash goggles (936)<br>1 Nitrile gloves (931)<br>1 Disposable face shield (919)<br>1 Disposable apron (911)<br>1 Chemical coveralls (945)<br>1 Latex overboots (937) |

# WYK ACIDS SAFE®

## ACID NEUTRALIZING, INDICATING AND SOLIDIFYING SORBENT



*A fast, safe and efficient method to neutralize and absorb acid spills, **ACIDS SAFE** contains an indicator that provides a visible color change to indicate complete neutralization.*

### COLOR INDICATING SORBENT

*Color indication initially indicates the strength (PH) of the acid: Gold indicates a strong acid; Yellow indicates a mild acid. When mixture turns purple a second time it has been neutralized to a safe PH range.*



**AN3024**  
**shaker cartons**



**AN3030**  
**5 gallon pail**



# WYK ACIDS SAFE®

## ACID NEUTRALIZING, INDICATING AND SOLIDIFYING SORBENT

### PRODUCT OFFERING:


*Weights will vary dependent upon the density of natural minerals.*

| STOCK NO. | DESCRIPTION                           | SHIPPING WT. | ABSORBS UP TO |
|-----------|---------------------------------------|--------------|---------------|
| AN3005    | 2 qt. shaker carton, 6/case           | 14 lbs.      | 1 gal./case   |
| AN3024    | 2 qt. shaker carton, 12/case          | 27 lbs.      | 2 gal./case   |
| AN3025    | 25 lbs. bag                           | 26 lbs.      | 2 gal./box    |
| AN3030    | 30 lbs. in a 5 gallon pail            | 33 lbs.      | 3 gal./pail   |
| AN3035    | 35 lbs. in a 6.5 gallon pail          | 38 lbs.      | 4 gal./pail   |
| AN3080    | 80 lbs. in a 20 gallon reusable drum  | 90 lbs.      | 8 gal./drum   |
| AN3220    | 220 lbs. in a 55 gallon reusable drum | 235 lbs.     | 22 gal./drum  |

*Not for use on hydrofluoric acid or HF compounds.*


### HOW TO USE:

1. Put on appropriate personal protective equipment (PPE) before attempting spill cleanup.
2. Apply **ACIDS SAFE** to spill from the perimeter inward. Foaming gases and heat will be generated during the neutralization process. Color indication initially indicates the strength (PH) of the acid: Gold indicates a strong acid; Yellow indicates a mild acid. When mixture turns purple a second time it has been neutralized to a safe PH range. Use sufficient neutralizer to eliminate the presence of any free liquids and turn the mixture to a uniform purple color.



**(SEE COLOR BARS ON PREVIOUS PAGE.)**

3. Allow mixture to cool before picking it up.
4. Pick up neutralized mixture and place into a leak proof container.
5. Label and dispose of in accordance with local, state and federal regulations.



# WYK ACIDS SAFE® SOCKS AND PILLOWS

## ACID NEUTRALIZING, INDICATING AND SOLIDIFYING SOCKS AND PILLOWS

*NEUTRALIZES, INDICATES AND SOLIDIFIES  
SAFE PH RANGE IN ONE EASY STEP!*

• HELPS YOU COMPLY WITH:

- OSHA Regulations 1926.441 – Battery Room and Charging Areas
- OSHA Regulations 1910.178 – Changing and Charging Batteries
- OSHA Regulations 29 CFR 1910.120 – Availability of salvage drums and absorbents

- **ACIDS SAFE** sorbent socks and pillows instantly pull the acid drips into a matrix that provides a buffered neutralization and color indication as it's working.

When sock or pillow is saturated simply pick up and replace with a new **ACIDS SAFE** sock or pillow. No mess, professional looking maintenance and protection for your battery recharge drip pans.

- "Quilted" for improved strength and even neutralizer distribution. This improves the life of the sock or pillow and assures efficient usage of the neutralizer.
- **DRIES THE SPILL! ACIDS SAFE** completely dries up the acid and surface below allowing for easy and safe pick up after neutralization. This product completely eliminates the sticky mess associated with acid neutralization with sodium carbonate neutralizers. It leaves a dry, safe floor when your finished!



**AN612 pillows**



**AN600 socks**



# WYK ACIDSAFE®


## SOCKS AND PILLOWS

### ACID NEUTRALIZING, INDICATING AND SOLIDIFYING SOCKS AND PILLOWS

#### COLOR INDICATING SOCKS AND PILLOWS

Color indication initially indicates the strength (PH) of the acid: Gold indicates a strong acid; Yellow indicates a mild acid.

When mixture turns purple a second time it has been neutralized to a safe PH range.



#### PRODUCT OFFERING:

| STOCK NO. | DESCRIPTION                                       | SHIPPING WT. | ABSORBS UP TO |
|-----------|---|--------------|---------------|
| AN600     | 4 in. x 48 in. x 1 in. neutralizing socks, 8/case | 15 lbs.      | 7 gal./case   |
| AN612     | 12 in. x 12 in. neutralizing pillows, 8/case      | 15 lbs.      | 7 gal./case   |

**Not for use on hydrofluoric acid or HF compounds.**

#### HOW TO USE:

1. Place under battery charging stands to catch, neutralize & solidify the acids protecting your valuable drip pans from corrosion.
2. May be use to cleanup acids spills and drips anywhere they may occur.
3. Works instantly upon contact with the most acids except hydrofluoric acid (hf).

# WYK ACIDS SAFE® SPILL KITS

946: Metal wall mount cabinet

AL3201



952: Toolbox carrying case

AS3100



## KIT OFFERING:

| STOCK NO.   | AcidSafe                               | Personal Protective Equipment | Accessories   | Disposable bags |
|---|--|-------------------------------|---|-----------------|
| <b>Battery Cleaning and Maintenance Kit</b><br>AL3201 | 1 carton (AN3002)<br>1 bottle (AN3300) | 1 Standard PPE Kit (943)      | 1 mini broom and dust pan set (979)<br>1 20 in scrapper (958-20)<br>1 scrub brush (958)<br>1 universal pad (4104-1) | 1 (910)         |
|   | Shipping weight: 9 lbs.                |                               | Neutralizes/solidifies up to: 0.2 gal./kit  |                 |
| AS3100  | 3 cartons (AN3002)                     | 1 Standard PPE Kit (943)      | 1 counter broom and dust pan set (924)  | 2 (910)         |
|   | Shipping weight: 19 lbs.               |                               | Neutralizes/solidifies up to: 0.6 gal./kit  |                 |
| AS3105  | 6 cartons (AN3002)                     | 1 Standard PPE Kit (943)      | 1 mini broom and dust pan set (979)   | 1 (910)         |
|   | Shipping weight: 19 lbs.               |                               | Neutralizes/solidifies up to: 1.2 gal./kit  |                 |
| AS3120  | 10 cartons (AN3002)                    | 2 Standard PPE Kits (943)     | 1 mini broom and dust pan set (979)   | 4 (910)         |
|   | Shipping weight: 42 lbs.               |                               | Neutralizes/solidifies up to: 2 gal./kit  |                 |

*Not for use on hydrofluoric acid or HF compounds.*

# WYK ACIDS SAFE® SPILL KITS AND STATIONS

## AS3105

**903:** 6.5 gallon white pail

*AS3105 and AS3120  
meet OSHA Regulations  
29 CFR 1910.120:  
Availability of salvage  
drums and absorbents*

Wire wall  
mount rack with  
laminated spill  
station sign

## AS3120

**904:** 20 gallon yellow drum

### SPILL STATION OFFERING:

| STOCK NO. | AcidSafe Sorbent         | Personal Protective Equipment | Accessories                            | Disposable bags                      |
|-----------|--------------------------|-------------------------------|--|--------------------------------------|
| AS3200    | 4 cartons (AN3002)       | 1 Standard PPE Kit (943)      | 1 Counter broom and dust pan set (924) | 12 bags (910T) with instruction card |
|           | Shipping weight: 22 lbs. |                               | Absorbs up to: 0.8 gal./station        |                                      |
| AS3201    | 4 cartons (AN3002)       | 1 Standard PPE Kit (943)      | 1 Brush head<br>1 Telescopic handle    | 12 bags (910T) with instruction card |
|           | Shipping weight: 24 lbs. |                               | Absorbs up to: 0.8 gal./station        |                                      |

**Not for use on hydrofluoric acid or HF compounds.**

# WYK ACIDS SAFE® BATTERY WASH

## ACID NEUTRALIZING AND INDICATING DEGREASER

- *Neutralizing degreaser cleans equipment and batteries while neutralizing any battery acid or corrosion.*
- *Provides a color change indication after neutralization.*



**AN3300**  
32 oz. pump spray bottles



**AN3304**  
1 gal. jugs



**AN3301**  
32 oz. pump spray bottle

**AN3305**  
5 gal. cube





# WYK ACIDSAFE® BATTERY WASH

## ACID NEUTRALIZING AND INDICATING DEGREASER

### COLOR INDICATING DEGREASER

Color indication initially indicates the strength (PH) of the acid: Gold indicates a strong acid; Yellow indicates a mild acid.

When mixture turns purple a second time it has been neutralized to a safe PH range.



### PRODUCT OFFERING:

| STOCK NO. | DESCRIPTION   | SHIPPING WT. |
|-----------|---|--------------|
| AN3300    | 32 oz. pump spray bottles (1 qt.), 6/case                   | 15.5 lbs.    |
| AN3301    | 32 oz. pump spray bottle (1 qt.) in shipping box, 1/case    | 3 lbs.       |
| AN3303    | 1 gallon jug in shipping box, 1/case                        | 8.5 lbs.     |
| AN3304    | 1 gallon jugs in shipping box, 4/case                       | 35 lbs.      |
| AN3305    | 5 gallon cube with faucet screw cap in shipping box, 1/case | 44 lbs.      |
| AN3355    | 55 gallon drum, 1/case                                      | 450 lbs.     |

### HOW TO USE:

1. Always wear appropriate Personal Protective Equipment (PPE) before cleaning batteries and equipment.
2. Spray **ACIDSAFE** directly on soiled equipment and batteries. **ACIDSAFE** is a ready-to-use solution with no mixing required. Allow a few minutes for the **ACIDSAFE** to go to work.
3. Use appropriate size brush or scraper to scrub and clean off the batteries and equipment. Use more **ACIDSAFE** as needed to completely clean off any corrosion, grease or grime.
4. **ACIDSAFE** (purple liquid) will turn to a yellow/orange color when it comes in contact with acids or acidic corrosion. Neutralization is complete when this liquid turns back to purple. Spray additional **ACIDSAFE** on the battery or equipment to insure a uniform purple color is reached.  
(SEE COLOR BARS ON ABOVE.)
5. Dispose of used materials in accordance with local, State and Federal regulations.

# WYK FRESH

## ODOR NEUTRALIZING SORBENT



**WYK FRESH** is an odor control absorbent made from vegetable and cellulose fiber impregnated with odor-controlling fragrances. Highly absorbent fibers instantly soak up vomit and other odorous liquids.

### WYK FRESH:



- Neutralizes odors on contact and leaves a pleasant **cherry** or **wintergreen** scent.
- Easy to use and comes in a convenient resealable shaker jar, pail or box container.
- Safe to use and will not stain, smear, or harm floors, carpeting or upholstery.
- Excellent at absorbing vomit and odorous liquids quickly and effectively.
- Deodorizing sorbent for use in the bottom of garbage cans, dumpsters, receptacles for sanitary napkins and surgical dressings.
- Air freshening sweeping compound, attracts and holds onto dust when swept across the floor.
- May be used to soak up non-aggressive liquid spills overcoming any odors in the process. It will absorb up to 8 times its own weight in liquids!



2601 shaker jars



2602W 5.3 gallon pail



2603C corrugated box with liner

# WYK FRESH



## ODOR NEUTRALIZING SORBENT

### PRODUCT OFFERING:

*Weights will vary dependent upon the density of natural minerals.*

| STOCK NO. | DESCRIPTION   | SHIPPING WT. | ABSORBS UP TO |
|-----------|---|--------------|---------------|
| 2601C     | 10 oz. shaker jars – cherry scented, 12/case                  | 9.5 lbs.     | 5 gal./case   |
| 2601W     | 10 oz. shaker jars – wintergreen scented, 12/case             | 9.5 lbs.     | 5 gal./case   |
| 2602C     | 5.3 gallon pail – cherry scented, 1 pail                      | 22 lbs.      | 16 gal./pail  |
| 2602W     | 5.3 gallon pail – wintergreen scented, 1 pail                 | 22 lbs.      | 16 gal./pail  |
| 2603C     | Corrugated box with inside liner – cherry scented, 1 box      | 32 lbs.      | 26 gal./box   |
| 2603W     | Corrugated box with inside liner – wintergreen scented, 1 box | 32 lbs.      | 26 gal./box   |

*Not for use on hydrofluoric acid or HF compounds.*

### HOW TO USE:

Circle to contain and completely cover the odorous material with **WYK FRESH**. Liquids and semi-solid materials will be instantly absorbed and odors will be immediately reduced. Using a broom or scraper push the **WYK FRESH** inward toward the center of the spill. Work around as need to soak up the material. Sweep up and dispose of in a sealed container or any trash receptacle.

**WARNING:** Not for use on aggressive, reactive or flammable liquids. May irritate eyes. Store container tightly closed. If skin irritation occurs, get medical advice.

### EMERGENCY OVERVIEW:

**GHS Classification:** Eye Irritation: 2B Eye irritation possible

**Target organ Systemic Toxicity:** 3 Transient Respiratory Irritation Possible

**Signal Word:** WARNING

**Hazard Statements:** N/A

**Precautionary Statements:** IF SKIN IRRITATION OCCURS, GET MEDICAL ADVICE. IF IN EYES, RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES – REMOVE CONTACT LENSES. IF EYE IRRITATION PERSISTS, GET MEDICAL ADVICE. AVOID BREATHING DUST. IF INHALED, REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. STORE CONTAINER TIGHTLY CLOSED

**Sweep up and dispose of in accordance with local, state and federal regulation.**

**KEEP OUT OF REACH OF CHILDREN • PLEASE SEE SAFETY DATA SHEET.**



# WYK FLUIDLOC™

## FLUID ENCAPSULATING SORBENT FOR BLOOD AND WATER-BASED FLUIDS

### BODILY FLUID CLEANUP MADE SAFE AND SIMPLE!

- This uniquely formulated solidifier has the power to solidify while eliminating malodors. Super concentrated - **absorbs up to 150 times it's own weight in aqueous based fluids.**
- The **FLUIDLOC** sorbent makes cleanup fast and safe and easy.
- **FLUIDLOC** is non-reactive, non-flammable, non-toxic, inhibits vaporization and associated malodors and is completely safe to use.



861-1 shaker bottle

861 12 shaker bottles



834 20 gallon drum



833 6.5 gallon pail



860 flip top dispenser jar



# WYK FLUIDLOC™




## FLUID ENCAPSULATING SORBENT FOR BLOOD AND WATER-BASED FLUIDS

### PRODUCT OFFERING:


| STOCK NO. | DESCRIPTION                       | SHIPPING WT. | ABSORBS UP TO   |
|-----------|-----------------------------------|--------------|-----------------|
| 860-1     | 1 flip top dispenser jar, 4 oz.   | 1 lbs.       | 4.5 gal./jar    |
| 860       | Flip top dispenser jars, 24/case  | 8 lbs.       | 112 gal./case   |
| 861-1     | 1 shaker bottle, 12 oz.           | 1 lbs.       | 50 gal./bottle  |
| 861       | Shaker bottles, 12/case           | 14 lbs.      | 576 gal./case   |
| 833       | Screw top 6.5 gallon pail (white) | 44 lbs.      | 640 gal./pail   |
| 834       | 20 gallon drum (yellow)           | 175 lbs.     | 2,720 gal./drum |

### HOW TO USE:



1. Open spill kit, put on PPE.
2. Remove **FLUIDLOC** shaker bottle and pour around contaminated area. Keep pouring until contaminated area and fixtures are covered.
3. Wait 30 seconds, apply additional **FLUIDLOC** to any areas that look "wet".
4. After two minutes, removed gelled **FLUIDLOC** and any other contaminated debris and place into the red biohazard bag provided.
5. Use the disinfectant spray and cover cleanup area and fixtures completely wetting the surfaces. Leave on the



surface a minimum of one minute or allow to dry completely. Also spray inside the biohazard bag and on your PPE that may have become contaminated. Disinfectant wipes may also be used to clean and disinfect surfaces (not for use on hands or skin).



6. Carefully remove PPE being careful not to touch contaminated PPE to your skin. Place used PPE into red biohazard bag. Pour any remaining **FLUIDLOC** into the red biohazard bag and spray disinfectant into the bag again and seal.
7. Clean hands thoroughly with soap and water or use supplied anti-bacterial hand cleaner wipe.



# WYK FLUIDLOC<sup>TM</sup>

## INDUSTRIAL KIT

### BODILY FLUID CLEANUP MADE SAFE AND SIMPLE!

*Kit provides everything you need for containment and clean up of over 50 gallons of liquids!*

This uniquely formulated solidifier has the power to solidify while eliminating malodors. Super concentrated - **absorbs up to 150 times it's own weight in aqueous based fluids.**



#### KIT OFFERING:

| STOCK NO.                | FluidLoc Sorbent         | Personal Protective Equipment                      | Accessories   | Disposable bags    |
|--------------------------|--------------------------|--|---|--------------------|
| 8505<br>Industrial Kit   | 4 shaker bottles (861-1) | 3 Standard PPE Kits (943)<br>3 antibacterial wipes | 1 24 oz. surface spray<br>3 surface wipes<br>3 absorbent pads<br>19 in. x 15 in.<br>1 mini broom and dust pan set (979) | 3 biohazard (9005) |
| Shipping weight: 12 lbs. |                          |  | Absorbs up to: 50 gal./kit  |                    |

*Not for use on hydrofluoric acid or HF compounds.*

# WYK FLUIDLOC™

## DELUXE KIT

*Kit provides everything you need for containment and clean up of over 2.4 gallons of liquids!*



### KIT OFFERING:

| STOCK NO.               | FluidLoc Sorbent         | Personal Protective Equipment                     | Accessories  | Disposable bags       |
|-------------------------|--------------------------|---|--|-----------------------|
| 8626<br>Deluxe Kit      | 2 flip top jars<br>(860) | 1 Standard PPE Kit (943)<br>1 antibacterial wipes | 1 2 oz. surface spray<br>1 surface wipes<br>1 scraper/cleanup tool | 2 biohazard<br>(9005) |
| Shipping weight: 2 lbs. |                          |   | Absorbs up to: 2.4 gal./kit  |                       |

*Not for use on hydrofluoric acid or HF compounds.*

# WYK POLYPROPYLENE SAFETY FIRST PADS & ROLLS

## HEAVYWEIGHT AND SINGLEWEIGHTS AVAILABLE

*Eliminate oily slip hazards with our best fine fiber materials.*

Superior traction even when saturated helping to reduce slip related accidents.

Also offer excellent strength and will not tear or shred.

- Pads perforated every 7.5 in.
- Rolls perforated every 7.5 in. vertically and 17 in. horizontally



| STOCK NO. | DESCRIPTION  | SHIPPING WT. | ABSORBS UP TO |
|-----------|--|--------------|---------------|
| 4206      | 19 in. x 15 in. Heavyweight Universal Pads, 100/pkg.               | 13 lbs.      | 26 gal./pkg.  |
| 7205      | 19 in. x 15 in. Heavyweight Oil Selective Pads, 100/pkg.           | 13 lbs.      | 26 gal./pkg.  |
| 4220      | 30 in. x 150 ft. Heavyweight Universal Roll, 1/pkg.                | 26 lbs.      | 50 gal./pkg.  |
| 7220      | 30 in. x 150 ft. Heavyweight Oil Selective Roll, 1/pkg.            | 26 lbs.      | 50 gal./pkg.  |
| 4222      | 15 in. x 150 ft. Heavyweight Universal Roll, 2/pkg.                | 26 lbs.      | 50 gal./pkg.  |
| 7222      | 15 in. x 150 ft. Heavyweight Oil Selective Roll, 2/pkg.            | 26 lbs.      | 50 gal./pkg.  |
| 4420      | 19 in. x 15 in. Singleweight Universal Pads, 200/pkg.              | 15 lbs.      | 28 gal./pkg.  |
| 7720      | 19 in. x 15 in. Singleweight Oil Selective Pads, 200/pkg.          | 15 lbs.      | 28 gal./pkg.  |
| 405       | 23 in. diameter Heavyweight Universal Drum Top Covers, 25/pkg.     | 7 lbs.       | 9 gal./pkg.   |
| 707       | 23 in. diameter Heavyweight Oil Selective Drum Top Covers, 25/pkg. | 7 lbs.       | 9 gal./pkg.   |



# WYK POLYPROPYLENE INDUSTRIAL GRADE PADS & ROLLS

## HEAVY DUTY PADS AND ROLLS PROVIDE SUPERIOR STRENGTH REDUCING TEARS OR RIPS.

*Perfect for industrial maintenance and general use sorbent pads & rolls.* Quickly absorbs leaks, spills and overspray.

Two layer construction provides strength and quick absorbency

- Pads perforated at 7.5 in.
- Rolls perforated at 7.5 in. vertically and 17 in. horizontally



### PRODUCT OFFERING:

| STOCK NO. | DESCRIPTION  | SHIPPING WT. | ABSORBS UP TO |
|-----------|--|--------------|---------------|
| 4104      | 19 in. x 15 in. Heavyweight Universal Pads, 100/pkg.     | 13 lbs.      | 29 gal./pkg.  |
| 7104      | 19 in. x 15 in. Heavyweight Oil Selective Pads, 100/pkg. | 13 lbs.      | 29 gal./pkg.  |
| 4124      | 30 in. x 150 ft. Heavyweight Universal Roll, 1/pkg.      | 26 lbs.      | 55 gal./pkg.  |
| 7124      | 30 in. x 150 ft. Heavyweight Oil Selective Roll, 1/pkg.  | 26 lbs.      | 55 gal./pkg.  |
| 4122      | 15 in. x 150 ft. Heavyweight Universal Roll, 2/pkg.      | 26 lbs.      | 55 gal./pkg.  |
| 7122      | 15 in. x 150 ft. Heavyweight Oil Selective Roll, 2/pkg.  | 26 lbs.      | 55 gal./pkg.  |



# WYK POLYPROPYLENE CONTRACTOR GRADE PADS & ROLLS

## MULTIPLE WEIGHTS FOR GENERAL APPLICATION

*Perfect for general application this dimpled material provides quick wicking power and economy all in one!*



### PRODUCT OFFERING:

| STOCK NO. | DESCRIPTION   | SHIPPING WT. | ABSORBS UP TO |
|-----------|---|--------------|---------------|
| 4406L     | 18 in. x 15 in. Lightweight Universal Pads, 200/pkg.      | 14 lbs.      | 35 gal./pkg.  |
| 4406M     | 18 in. x 15 in. Mediumweight Universal Pads, 100/pkg.     | 7.5 lbs.     | 20 gal./pkg.  |
| 4406H     | 18 in. x 15 in. Heavyweight Universal Pads, 100/pkg.      | 9 lbs.       | 22 gal./pkg.  |
| 7706L     | 18 in. x 15 in. Lightweight Oil Selective Pads, 200/pkg.  | 14 lbs.      | 35 gal./pkg.  |
| 7706M     | 18 in. x 15 in. Mediumweight Oil Selective Pads, 100/pkg. | 7.5 lbs.     | 20 gal./pkg.  |
| 7706H     | 18 in. x 15 in. Heavyweight Oil Selective Pads, 100/pkg.  | 9 lbs.       | 22 gal./pkg.  |
| 4426M     | 30 in. x 150 ft. Mediumweight Universal Roll, 1/pkg.      | 15 lbs.      | 40 gal./pkg.  |
| 4426H     | 30 in. x 150 ft. Heavyweight Universal Roll, 1/pkg.       | 18 lbs.      | 44 gal./pkg.  |
| 7726M     | 30 in. x 150 ft. Mediumweight Oil Selective Roll, 1/pkg.  | 15 lbs.      | 40 gal./pkg.  |
| 7726H     | 30 in. x 150 ft. Heavyweight Oil Selective Roll, 1/pkg.   | 18 lbs.      | 44 gal./pkg.  |

SPECIALTY SERIES

# TRAFFIC RUGS

## EXTREMELY DURABLE TRAFFIC RUGS

*Designed to provide superior  
tensile strength and capable of  
withstanding vehicle traffic.*



### PRODUCT OFFERING:

| STOCK NO. | DESCRIPTION  | SHIPPING WT. | ABSORBS UP TO  |
|-----------|--|--------------|----------------|
| 410       | 36 in. x 300 ft. Mediumweight needle punch rug, 1/pkg. | 50 lbs.      | 54 gal./pkg.   |
| 412       | 36 in. x 150 ft. Heavyweight needle punch rug, 1/pkg.  | 50 lbs.      | 27 gal./pkg.   |
| 280       | 36 in. x 150 ft. Heavyweight recycled rag rug, 1/pkg.  | 50 lbs.      | 84.6 gal./pkg. |



Shipping weight is the weight of the container empty.

# WYK SPILL KIT CONTAINERS

## EMPTY CONTAINERS

### CONTAINER OFFERING:

|   |  |   |   |
|---|--|---|---|
|  <p><b>901</b></p> <p>Yellow tote bag</p> <p>Shipping Wt: 2 lbs.</p>   |  <p><b>907</b></p> <p>Clear vinyl plastic zipper bag</p> <p>Shipping Wt: 1 lb.</p>                        |  <p>Not UN/DOT Rated</p> <p><b>9052</b></p> <p>5.3 gallon flip top pail</p> <p>Shipping Wt: 3 lbs.</p>                    |  <p>UN/DOT Rating:<br/>1H2/Y30/S<br/>1H2/X11.5/S</p> <p><b>903</b></p> <p>6.5 gallon screw top pail</p> <p>Shipping Wt: 4 lbs.</p> |
| <p><i>922, 904, 902 and 971 drum lids have locking rings</i></p>  <p>UN/DOT Rating<br/>1H2/X65/S<br/>1H2/Y100/S</p> <p><b>922</b></p> <p>14 gallon drum</p> <p>Shipping Wt: 9 lbs.</p> |  <p>UN/DOT Rating<br/>1H2/X40/S</p> <p><b>904</b></p> <p>20 gallon drum</p> <p>Shipping Wt: 15 lbs.</p> |  <p>UN/DOT Rating<br/>1H2/X100/S<br/>1H2/Y100/S</p> <p><b>902</b></p> <p>30 gallon drum</p> <p>Shipping Wt: 16 lbs.</p> |  <p>UN/DOT Rating<br/>1H2/X100/S<br/>1H2/Y100/S</p> <p><b>971</b></p> <p>55 gallon drum</p> <p>Shipping Wt: 23 lbs.</p>          |



Shipping weight is the weight of the container empty.

# WYK SPILL KIT CONTAINERS

## EMPTY CONTAINERS



UN/DOT Rating  
1H2/X300/S

**900**

65 gallon drum

Shipping Wt: 45 lbs.



UN/DOT Rating  
1H2/X300/S

**906**

95 gallon drum

Shipping Wt: 50 lbs.



Not UN/DOT Rated

**949**

50 gallon tilt wheel cart

Shipping Wt: 19 lbs.



**946**

Metal Wall Mount Cabinet

Shipping Wt: 10 lbs.



**952**

Tool Box

Shipping Wt: 3 lbs.

# WYK SPILL CLEAN-UP ACCESSORIES



**9301**

9 in. plastic dust pan  
(color may vary)



**924**

Counter broom  
and dust pan set  
(color may vary)



**979**

Mini broom and  
dust pan set  
(color may vary)



**935**

10 in. poly bristle  
wooden deck  
brush—head only



**917**

Telescoping broom  
handle fits most  
broom heads



**910**

10 small  
self adhesive  
disposal bags

18 in. x 25 in.  
yellow bags



**910T**

**TABLET—12**  
small tear off, self  
adhesive disposal  
bags mounted on  
printed instruction  
header card

18 in. x 25 in.  
yellow bags




**915**

10 large  
disposal bags  
with closure ties

60 in. x 30 in.  
3 ml. yellow bags

# WYK SPILL CLEAN-UP ACCESSORIES



930

DOT Spill  
Guidebook



951

Caution tape

3 in. x 1,000 ft.,  
1 rolls per pack



957

Non sparking  
collapsible shovel



975

Hand scoop



947

Repair epoxy  
putty tube



939

56 General  
purpose wipes

Quarter fold wipers,  
cloth like softness,  
is excellent for most  
tasks



9200

6 in. Yellow light  
stick

Snap to illuminate  
for spill response in  
the dark



997L

Wooden plugs

Use to plug leaks  
in drums and fuel  
tanks. Six wedges  
and three cones

# WYK SPILL CLEAN-UP ACCESSORIES

## Drain Covers

| STOCK NO. | DESCRIPTION   | SHIPPING WT. |
|-----------|---|--------------|
| 960A      | 18 in. x 18 in. single layer drain cover                              | 5 lbs.       |
| 960B      | 18 in. x 18 in. two ply heavy duty drain cover                        | 7 lbs.       |
| 961A      | 24 in. x 24 in. single layer drain cover                              | 8 lbs.       |
| 961B      | 24 in. x 24 in. two ply heavy duty drain cover                        | 13 lbs.      |
| 962AR     | 12 in. round single layer drain cover                                 | 2 lbs.       |
| 963A      | 36 in. x 36 in. single layer drain cover                              | 16 lbs.      |
| 963B      | 36 in. x 36 in. two ply heavy duty drain cover                        | 28 lbs.      |
| 965A      | 48 in. x 48 in. single layer drain cover                              | 23 lbs.      |
| 965B      | 48 in. x 48 in. two ply heavy duty drain cover                        | 49 lbs.      |
| 968       | 5 in. x 7 in. urethane heavy duty drum barrel patch, with 6 ft. strap | 3 lbs.       |

- Block spill entering grates, manholes and drains
- Flexible and sticky—adheres to smooth, irregular & rough surfaces
- Resists most chemicals
- Easy to store and handle; cleans with soap and water for re-use




*single layer drain cover*

*two ply drain cover*



*drum barrel patch*



## Drain Plugs

| STOCK NO. | DESCRIPTION              |
|-----------|--------------------------|
| 9460-2    | 2 in. conical drain plug |
| 9460-3    | 3 in. conical drain plug |
| 9460-4    | 4 in. conical drain plug |
| 9460-6    | 6 in. conical drain plug |



**2 in.**



**3 in.**



**4 in.**



**6 in.**

## Drain Guard

- Keeps sediment and other pollutants from entering the water system
- Removes hydrocarbons, dirt, sand and other contaminants

| STOCK NO. | DESCRIPTION                 |
|-----------|-----------------------------|
| 9217      | 36 in. x 48 in. drain guard |
| 9255      | 48 in. x 60 in. drain guard |





# WYK SPILL RESPONSE TRAILERS

## STANDARD TRAILER UNITS



*Standard or customized TRAILER UNITS for easy, portable clean up for any location.*

Each trailer has typical contents and quantities of Sorbent and containment booms, pads, socks, pillows, sewer drain covers, particulates and many accessory products including no-sparking hand tool set, 95 gallon overpack drum, pop up containment pool, no-sparking broom, shovel, squeegee and Personal Protective Equipment (PPE)

- Curb side door and 12 volt dome light and battery with tie down case
- Floor covered with heavy duty industrial traffic rug material
- Industrial shelving installed on left side of trailer



## HAZ-MAT TRAILER UNITS

- 3 stripes painted on all four exterior sides
- 6 in. lettering on two sides is included—specify lettering or “Hazardous Spill Response Unit” is suggested



# WYK SPILL RESPONSE TRAILERS

## PRODUCT OFFERING:

| STOCK NO. | DESCRIPTION   | SHIPPING WT. | ABSORBS UP TO |
|-----------|---|--------------|---------------|
| 9012      | 12 ft. Haz-Mat or Oil Selective Spill Response Trailer, Fully Stocked | 2,875 lbs.   | 1,000 gal.    |
| 9016      | 16 ft. Haz-Mat or Oil Selective Spill Response Trailer, Fully Stocked | 3,250 lbs.   | 1,500 gal.    |
| 9020      | 20 ft. Haz-Mat or Oil Selective Spill Response Trailer, Fully Stocked | 3,750 lbs.   | 2,000 gal.    |

## CUSTOMIZED TRAILER UNITS

Customize a trailer for your own needs.

*You specify the products and quantities and we will build it for you.*

- If you don't know what you need, let us know the application and we will work with you to design a trailer unit that will fit your specific needs



---

# WYK SPILL KITS

## CUSTOM KITS

---

### CREATE A CUSTOMIZE KIT:

CHOOSING JUST WHAT YOU NEED FOR YOUR SPECIFIC APPLICATION!

---

***We have a WYK Spill Kit expert that can build a customized spill kit based on the information provided below. A detailed kit report will show you what your kit will look like, weight, capacity, contents and cost.***

---

***Four easy steps to build a customized spill kit. Please tell about your spill needs:***

**1**

#### Type of liquids for cleanup

**What types of liquids are present that could potentially spill?**

- Oils
- Solvents
- Flammable liquids
- Chemicals
- Cleaning compounds
- Vegetable oils
- Water

**2**

#### Capacity of cleanup

**How much capacity in gallons do you need your kit to cleanup?**

How much could potentially be spilled of each liquid that is in the area.?

**3**

#### Personal Protection Equipment (PPE)

Boots, gloves, goggles, face shields, coveralls, aprons and more are available. All PPE ordered with spill kits is placed on top of the sorbents inside the spill kit. ***(Please see pages 24-25 for all available PPE)***

**4**

#### Accessories

Spill kit accessories are available like light sticks, leak putty and more. Please list any items you wish included in the kit. ***(Please see pages 51-53 for all available accessories)***

---

Submit this information to us and we will provide you a detailed kit report along with a quote within 24 hours. Please call us at 1-800-248-7007 or e-mail us at [wyk@wysorbents.com](mailto:wyk@wysorbents.com).



11721 Lackland Rd. • St. Louis, MO 63146

800-248-7007 • 314-426-3336

[www.wyksorbents.com](http://www.wyksorbents.com)

e-mail: [wyk@wyksorbents.com](mailto:wyk@wyksorbents.com)

---

**SPILL RESPONSE  
CLEAN-UP  
CONTAINMENT**

